


IKO SHINGLES THERMO SYSTEM

Torch-on application of shingles on OSB wooden deck on slope between 4° and 15°. For concrete decks torch-on can be used on slope between 4° and 45°.







Torch only on the upper face of the membrane and stick the shingles in the activated Armourbase Thermo AD. Do not torch the shingles!

IKO Primer AD
(20 L) for concrete deck

IKO Armourbase® THERMO AD
(7,5 m²)

Mechanical fixing
Concrete screw with plate for fixation of Armourbase Thermo AD for slopes 15°-45°




MULTIFLASH	STARTERSTRIP	SHINGLESHOVEL	SOLAR BRACKET SET	ROOFBRACKET 45
 <p>Black</p> <p>16°-45°</p> <p>Flexible base Thermoplastic material</p>	 <p>In packs for Cambridge Xpress/ Xtreme roofs (21 m/bdl)</p>  <p>Superglass® for Cambridge Xpress/ Xtreme roofs (14 m/bdl)</p>	<p>116 cm</p> 	<p>15°-90°</p>  <p>Stainless steel</p> 	 <p>Black</p> 



Product overview 2026



Dealer:



IKO Sales International NV

Truibroek 74
3945 Tessenderlo-Ham - Belgium

T +32 (0) 11/34 01 20
E residential.europe@iko.com

www.iko.eu





**LONGEVITY
and
DURABILITY**



**LOCAL
EUROPEAN
raw materials**

**PLATINUM =
COMPLETE ROOF
GUARANTEE:
not only on the product!**



**EASY
PURCHASE**

- order and buy
at your distributor




**ALL
ACCESSOIRES
in one spot**



**LIGHTWEIGHT
MATERIAL**



**SATISFIED
CUSTOMERS**



PLATINUM:

min. 5 yrs
max.15 yrs

TOTAL:

Platinum +10 yrs = Total 15 yrs
Platinum +15 yrs = Total 30 yrs

01

- IKO offers you the maximum (Platinum) guarantee in the first 5 to 15 years, where material, transport and labour costs are covered in case of manufacturing defects. Remaining years of the Total guarantee period are covered by the pro rata material costs.

02

- IKO is in the roofing business for more than 75 years and is a financially healthy company without any external debts. This manufacturer's Platinum and Total guarantee is more solid for you to depend on than a guarantee from a local distributor

03

- IKO Platinum and total guarantee warrants only the shingles that are manufactured in Europe

A ROOF YOU CAN TRUST.



**HOW DO THEY DO IT -
ROOF SHINGLES?**

IKO The Shingles Expert (EU) -
company film



LAMINATED SHINGLES



- Xtreme slope: $\geq 9,5^\circ$ (!) / $\leq 90^\circ$
- Xtreme resistance to high wind & heavy rain
- Xtreme unique: the world's first self-adhesive laminated shingle

TOTAL GUARANTEE
30
YEARS

$\geq 9,5^\circ$
 $\leq 90^\circ$



53 | Autumn brown

LAMINATED SHINGLES



- Most efficient laminated shingle in the world: more coverage than any standard shingle
- Cambridge Xpress Lane for improved nailing performance

TOTAL GUARANTEE
25
YEARS



50 | Harvard slate

	coverage / bundle (max. m ²)
	bundle coverage (max. m) for hip and ridge
	bundles / pallet
	weight / m ² covered
	shingles / bundle

CAMBRIDGE XTREME 9,5

Front Back

Platinum guarantee 15 years

$9,5^\circ - 90^\circ$

	2,17
	54

	*
	13,1

14

* Use Superglass shingles

43

49

50

52

53

54

55

CAMBRIDGE XPRESS

Platinum guarantee 15 years

$15^\circ - 85^\circ$

	2,17
	54

	*
	12,9

14

* Use Superglass shingles

43

49

50

51

52

53

54

55



49 | Earthtone cedar



Cambridge Xtreme can withstand a wind of 220 km/h



How heavy are Cambridge shingles compared to tiles?



Can Cambridge resist a hailstorm?



Cambridge is the safest to walk upon without damage

PREMIUM SHINGLES

TOTAL GUARANTEE
25
YEARS

- Upgraded shingle option manufactured with polymer-modified bitumen
- More flexible at low temperatures
- Additional resistance at high temperatures
- Resistant against extreme weather conditions
- Maximum durability due to APP modified bitumen



- 01 | Black
- 07 | Dual brown
- 10 | Tile red

e.g. IKO roof viewer simulation

TOTAL GUARANTEE
20
YEARS

SHIELD SHINGLES

- Self-adhesive shingle
- Can be used on steep slope roofs
- Excellent protection against wind-driven rain and ice dams
- Exceptional resistance to strong winds



- 23 | Amazon green ultra
- 26 | Chapel grey ultra

e.g. IKO roof viewer simulation

ARMOURSHIELD® PLUS

Platinum guarantee 10 years

15°-90°

27 | Dual brown ultra

2,00	6,0
60	7,5

15

MONARCH®

Platinum guarantee 10 years

15°-85°

2,58	10,3
48	11,6

18

MONARCH® - DIAMANT

Platinum guarantee 10 years

15°-85°

2,46	7,4
42	11,2

22


DIAMANTSHIELD® PLUS

Platinum guarantee 10 years


15°-90°





2,00	6,0
60	8,9

18




ARMOURGLASS® PLUS




 2,00	 8,0
 66	 10,7





Platinum guarantee 10 years
15°- 85°




14

VICTORIAN® PLUS




 2,00	 **
 66	 10,2





Platinum guarantee 10 years
15°- 85°




14

DIAMANT® PLUS



 2,00	 6,0
 60	 10,4

Platinum guarantee 10 years
15°- 85°



18

TOTAL GUARANTEE
20 YEARS

PLUS SHINGLES

- APP modified bitumen
- Superior quality high grade bitumen fibreglass shingle
- Exceeds the most stringent worldwide standards
- Additional UV protection thanks to APP Bitumen
- Higher flexibility with low(er) temperatures



e.g. IKO roof viewer simulation

- | | |
|-----------------------|--------------------|
| 01 Black | 31 Slate |
| 03 Amazon green | 49 Earthtone cedar |
| 07 Dual brown | 50 Harvard slate |
| 10 Tile red | 51 Eastern grey |
| 16 Sky blue | 52 Dual black |
| 20 Tile red ultra | 53 Autumn brown |
| 23 Amazon green ultra | 54 Aged redwood |
| 27 Dual brown ultra | 55 Riviera red |



TOTAL GUARANTEE
15 YEARS

CLASSIC SHINGLES

- Top quality high grade bitumen fibreglass shingle
- Most popular and time-tested shingle
- Exceptional value for money
- Highly resistant to colour fading

e.g. IKO roof viewer simulation

SUPERGLASS®




 2,00	 6,0
 87	 8,3





Platinum guarantee 5 years
15°- 85°




14

SUPERGLASS® BIBER




 2,00	 *
 87	 7,9





Platinum guarantee 5 years
15°- 85°




14

SUPERGLASS® HEX



 3,00	 8,9
 45	 6,8

Platinum guarantee 5 years
15°- 90°







22





* Use Superglass shingles

VENTS

Incl. 120 x T (50 mm)

Armourvent® MULTI	Armourvent® MULTI PLUS	Armourvent® RIDGE PLUS
600 x 22,8 cm	600 x 28,5 cm	122 x 27,9 cm
Monarch® Victorian® PLUS Armourglass® PLUS	Cambridge Xtreme 9,5° Cambridge Xpress Monarch®-Diamant DiamantShield® PLUS ArmourShield® PLUS Diamant® PLUS Superglass®-Hex Superglass®-Biber Superglass®	Cambridge Xtreme 9,5° Cambridge Xpress Monarch®-Diamant DiamantShield® PLUS ArmourShield® PLUS Diamant® PLUS Superglass®-Hex Superglass®-Biber Superglass®
275 cm ² /m * min. 16,50 – max. 33,01 m ² /m **		258 cm ² /m * min. 15,48 – max. 30,97 m ² /m **
≥ 9,5°***		15°-45°

Armourvent® STANDARD	Armourvent® SPECIAL	Airhawk®	
45 x 43 x 11 cm	40 x 37 x 7,5 cm	Ø = 30,48 cm (12 inch)	Ø = 35,56 cm (14 inch)
Black Brown	Black Red	Black Brown Alu Grey	Alu Grey
322 cm ² /pc. * min. 19,33 m ² /pc. ** max. 38,66 m ² /pc. **	30 cm ² /pc. * min. 1,80 m ² /pc. ** max. 3,60 m ² /pc. **	613 cm ² /pc. * min. 36,79 m ² /pc. ** max. 73,59 m ² /pc. **	852 cm ² /pc. * min. 51,14 m ² /pc. ** max. 102,28 m ² /pc. **
15°-45°	15°-90°	9,5°-45°	

* = Ventilation area | ** = Ventilated roof area | *** = Follow shingles minimum roof slope

IKO BASE

An APP modified underlayment under Armourvalley for full adhesion torching on low sloped roofs.


l x w (m)	12 x 1
pcs/pallet	24
mm	2,1



l x w (m)	7,5 x 1
pcs/pallet	25
mm	4




MASTICS & NAILS




Shingle Stick	Plastal Stick	Plastal	Galvanised nails			Galvanised nails			BOSTITCH coiled nails		
310 ml	310 ml	5 kg	1 kg			5 kg			7200 pcs.		
x 12/ 	x 12/ 	-	length	pcs.	m ²	length	pcs.	m ²	length	kg	m ²
Premium Elastomeric bitumen based mastic	Elastomeric bitumen based mastic	Elastomeric bitumen based mastic	20 mm ± 690 ± 20			20 mm ± 3450 ± 98			25 mm 12,65 ± 205		
			25 mm ± 582 ± 16			25 mm ± 2910 ± 83			31 mm 15,10 ± 205		
						30 mm ± 2480 ± 70					
						35 mm ± 2150 ± 61					

UNDERLAYS



	Armourbase® ECO	Armourbase® PRO	Armourbase® PRO PLUS	Armourbase® STICK
SA (self-adhesive)	-	-	overlapping part	full SA
effective coverage area:				
≥ 21° - 85°	90 %	90 %	90 %	90 %
≥ 15° - 20°	50 %	50 %	90 %	90 %
≤ 15°	50 %	50 %	90 %	90 %
l x w (m)	50 x 1	30 x 1	30 x 1	20 x 1
pcs/pallet	20	40	33	45
mm	0,6	0,5	0,5	0,5

How waterproof and strong is IKO Armourbase Pro underlayment?



ARMOURVALLEY



ARMOURVALLEY Black | ARMOURVALLEY Amazon green | ARMOURVALLEY Dual brown | ARMOURVALLEY Tile red | ARMOURVALLEY Slate | ARMOURVALLEY Autumn brown

An APP modified roll manufactured in matching shingle colours for use in the valleys of shingle roofs or on low slope roof areas adjacent to shingles.